

No.	No. d'article	Dénomination	Nombre
1	*	Boitier moulin 2810.00	1
2	*	Coussinet 10/14/18 x 18/16.5 2810.01	1
3	*	Clapet pivotant 2810.02	1
4	*	Bille en acier 2810.03	1
5	*	Recouvrement 2810.04	1
6	*	Ressort à pression 3x13 2810.05	1
7	*	Boule 3.5 2810.06	1
8	*	Anneau filete 2810.07	1
9	*	Anneau 6.2/15x0.5 2810.08	1
10	*	Arbre 8 x 45 2810.09	1
11	*	Roue denté 56.25 x 12.6 2810.10	1
12	*	Arbre 2810.11	1
13	*	Anneau 10/20 x 0.5 2810.12	1
14	*	Anneau special 8/48 2810.13	1
15	*	Roue denté 2810.14	1
16	*	Anneau 8/13 x 11 2810.15	1
17	*	Ressort à pression 4.65 x 10.2 2810.16	1
18	*	Boule 5 mm 2810.17	1
19	*	Anneau 6/12 x 1.6 mm 2810.18	1
20	*	Anneau M6 2810.19	1
21	*	Ecrou M 6 x 0.8 2810.20	1
22	*	Plaque 2810.21	1
23	*	Vis pt 35 x 10 mm 2810.22	1
24	*	Reception du disque de mouture 2810.23	1
24b	*	Porte-anneau de moulin compl. 2810.24	1
25	*	Anneau du disque de mouture 2810.25	1
26	2SK053	Disque de mouture 2810.26	1
27	*	Rondelle 25/19 x 5 2810.27	1
28	*	Disque portante 2810.28	1
29	*	Disque de mouture 2810.29	1
30	2SK054	Dispositif antivibration 2810.30	1
31	*	Rivet 5 x 0.5 x 6.5 2810.31	1
34	*	Vis taptite M 3 x 6 mm 2810.34	1

Solis

**166
180 W**

Scala

No d'article

189030

Index

F

Projet

Solis 166

Vue Éclatée

EV 166



s.a. J. van Ratingen n.v.
Stadsheide 11, B-3500 Hasselt
Tel. +32(0)11/222171
Fax. +32(0)11/22 97 90
Http://www.vauratingen.com
E-mail: info@vauratingen.com

* sur commande

Solis

166
180 W

Scala

No d'article

189030

Index

F

Projet

Solis 166


Vue Éclatée

EV 166



s.a. J. van Ratingen n.v.
Stadsheide 11, B-3500 Hasselt

Tel. +32(0)11/222171
Fax. +32(0)11/22 97 90
Http://www.vauratingen.com
E-mail: info@vauratingen.com



No.	No. d'article	Dénomination	Nombre
32	*	Moteur universel 230 V 2810.32	1
33	*	Micro-interrupteur 2810.33	1
34	*	Vis taptite M 3 x 6 mm 2810.34	1
50	2SK051	Couvercle 2810.35	1
51	2SK050	Reservoir des grains de cafe 2810.36	1
52	*	Boitier 2810.59	1
53	*	Garniture de boitier 2810.38	1
54	*	Anneau 2810.39	1
55	*	Moulin 2810.40	1
56	2SK055	Reservoir du moulin 2810.41	1
57	*	Garniture de fond 2810.42	1
58	2SK052	Bouton d'interrupteur 2810.43	1
59	*	Collier de serrage de cable 2810.44	1
60	*	Pied 2810.45	1
61	*	Joint d'étanchéité 2810.46	1
62	*	Vis pt 2810.47	1
63	*	Vis pt 2810.48	1
64	*	Condensateur 2810.49	1
65	*	Domino 2 poles 2810.50	1
66	*	Cable d'alimentation noir 1.25 2810.51	1
67	*	Toron complet 2810.52	1
68	*	Toron complet 2810.53	1
69	2SK056	Minuterie 2810.54	1

Solis

**166
180 W**

Scala

No d'article

189030

Index

F

Projet

Solis 166

Vue Éclatée

EV 166



s.a. J. van Ratingen n.v.
Stadsheide 11, B-3500 Hasselt
Tel. +32(0)11/222171
Fax. +32(0)11/22 97 90
Http://www.vauratingen.com
E-mail: info@vauratingen.com

* sur commande

Solis

166
180 W

Scala

No d'article

189030

Index


F

Projet

Solis 166

Vue Éclatée

EV 166



s.a. J. van Ratingen n.v.
Stadsheide 11, B-3500 Hasselt

Tel. +32(0)11/222171
Fax. +32(0)11/22 97 90
Http://www.vauratingen.com
E-mail: info@vauratingen.com